

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**

Trade name FUNGUS FIGHTER PLUS

Product code (UVP) 05769077

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Fungicide

1.3 Details of the supplier of the safety data sheet

Supplier SBM Life Science Ltd
Unit 2,
Techno Park,
Newmarket Road,
Cambridge,
CB5 8PB
Great Britain

Telephone +44 (0)1223 563108

Telefax +44 (0)1223 563132

Responsible Department 1.4 uk.guardenadvice@sbm-company.com
QHSE Department
E-mail : sds@corp.sbm-company.com

Emergency telephone no.

Emergency telephone no. SBM +1 813-676-1669

UK Emergency telephone no. 0800-220876 (UK 24 hr)
+44 (0)1635-563000 (Overseas 24 hr)

SECTION 2: HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**Chronic aquatic toxicity: Category 3
H412 Harmful to aquatic life with long lasting effects.**2.2 Label elements****|| Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.****|| Hazard label for supply/use required.****Hazardous components which must be listed on the label:**

- Trifloxystrobin
- Tebuconazole

Hazard statements

|| H412 Harmful to aquatic life with long lasting effects.

|| EUH208 Contains 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May produce an allergic reaction.

|| EUH401 To avoid risks to human health and the environment, comply with the instructions for use.

FUNGUS FIGHTER PLUS

102000012749

2/11

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P260	Do not breathe spray.
P271	Use only outdoors or in a well-ventilated area.
P501	Dispose of contents/container to a household waste recycling centre as hazardous waste except for empty containers which can be disposed of by recycling. Contact your local council for details.

2.3 Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Any other liquids (AL)

Trifloxystrobin/Tebuconazole 0.0125:0.0125 %

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Trifloxystrobin	141517-21-7	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.0125
Tebuconazole	107534-96-3 403-640-2	Acute Tox. 4, H302 Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 1, H410	0.0125
Mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one and 2-methyl-4-isothiazolin-3-one	55965-84-9	Acute Tox. 3, H331 Acute Tox. 3, H311 Acute Tox. 3, H301 Skin Sens. 1, H317 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	> 0.0002 – < 0.0015
1-Propanol	71-23-8 200-746-9	STOT SE 3, H336 Flam. Liq. 2, H225 Eye Dam. 1, H318	> 1.00

Further information

Trifloxystrobin	141517-21-7	M-Factor: 100 (acute)
Tebuconazole	107534-96-3	M-Factor: 1 (acute), 10 (chronic)

For the full text of the H-Statements mentioned in this Section, see Section 16.

FUNGUS FIGHTER PLUS

102000012749

3/11

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation	Move to fresh air. Keep patient warm and at rest.
Skin contact	Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.
Eye contact	Remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Keep patient warm and at rest.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms No symptoms known or expected.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment Local treatment: Initial treatment: symptomatic.
Systemic treatment: Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable	High volume water jet

5.2 Special hazards arising from the substance or mixture Dangerous gases are evolved in the event of a fire.

5.3 Advice for firefighters

Special protective equipment for firefighters In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

FUNGUS FIGHTER PLUS

102000012749

4/11

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

6.2 Environmental precautions Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

Advice on protection against fire and explosion No special precautions required.

Hygiene measures When using, do not eat, drink or smoke. Wash hands immediately after work, if necessary take a shower.

7.2 Conditions for safe storage, including any incompatibilities

Advice on common storage Keep away from food, drink and animal feedingstuffs.

Suitable materials HDPE (high density polyethylene)

7.3 Specific end use(s) Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Trifloxystrobin	141517-21-7	2.7 mg/m ³ (SK-SEN)		OES BCS*
Tebuconazole	107534-96-3	0.2 mg/m ³		OES BCS*

FUNGUS FIGHTER PLUS

102000012749

5/11

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

		(SK-ABS)		
1-Propanol	71-23-8	625 mg/m ³ /250 ppm (STEL)	12 2011	EH40 WEL
1-Propanol	71-23-8	500 mg/m ³ /200 ppm (TWA)	12 2011	EH40 WEL
1-Propanol	71-23-8	200 ppm (TLV)		OES BCS*

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use conditions personal protective equipment is not deemed to be necessary. If there is a potential for excessive exposure the following applies:

Respiratory protection

Respiratory protection is not required under anticipated circumstances of exposure.

Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Personal protective equipment is not normally required. However, if there is a risk of uncontrolled exposure to the contents, the following should be considered.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

Material	Nitrile rubber
Rate of permeability	> 480 min
Glove thickness	> 0.4 mm
Protective index	Class 6
Directive	Protective gloves complying with EN 374.

Eye protection

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection

Personal protective equipment is not normally required. However, if there is a risk of uncontrolled exposure to the contents, the following should be considered.

Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form	Liquid, slightly turbid
Colour	colourless to light brown
Odour	alcohol-like
pH	5.0 - 6.0 at 100 % (23 °C)
Flash point	69.5 °C at 1,013.3 hPa
Auto-ignition temperature	> 667 °C
Density	ca. 1.00 g/cm ³ at 20 °C
Water solubility	soluble
Partition coefficient: n-octanol/water	Trifloxystrobin: log Pow: 4.5 at 25 °C Tebuconazole: log Pow: 3.7
Viscosity, kinematic	1.116 mm ² /s at 20 °C 0.726 mm ² /s at 40 °C
Surface tension	46.7 mN/m
Oxidizing properties	No oxidizing properties
Explosivity	Not explosive 92/69/EEC, A.14 / OECD 113
9.2 Other information	Further safety related physical-chemical data are not known.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions No hazardous reactions when stored and handled according to prescribed instructions.

- 10.4 Conditions to avoid** Extremes of temperature and direct sunlight.
- 10.5 Incompatible materials** Store only in the original container.
- 10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) \geq 5,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 5.604 mg/l Exposure time: 4 h
Acute dermal toxicity	LD50 (Rat) > 2,000 mg/kg
Skin irritation	No skin irritation (Rabbit)
Eye irritation	No eye irritation (Rabbit)
Sensitisation	Non-sensitizing. (Mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

Assessment repeated dose toxicity

Trifloxystrobin did not cause specific target organ toxicity in experimental animal studies.
Tebuconazole did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

Trifloxystrobin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Tebuconazole was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Trifloxystrobin was not carcinogenic in lifetime feeding studies in rats and mice.
Tebuconazole caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Liver. The mechanism of tumour formation is not considered to be relevant to man.

Assessment toxicity to reproduction

Trifloxystrobin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Trifloxystrobin is related to parental toxicity.

Tebuconazole caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Tebuconazole is related to parental toxicity.

Assessment developmental toxicity

Trifloxystrobin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Trifloxystrobin are related to maternal toxicity.

Tebuconazole caused developmental toxicity only at dose levels toxic to the dams. Tebuconazole caused an increased incidence of post implantation losses, an increased incidence of non-specific malformations.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish

LC50 (Oncorhynchus mykiss (rainbow trout)) 4.4 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient tebuconazole.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.015 mg/l
Exposure time: 96 h
The value mentioned relates to the active ingredient trifloxystrobin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 86 mg/l
Exposure time: 48 h

Chronic toxicity to aquatic invertebrates

NOEC (Daphnia (water flea)): 0.01 mg/l
Exposure time: 21 d
The value mentioned relates to the active ingredient tebuconazole.

Toxicity to aquatic plants

EC50 (Raphidocelis subcapitata (freshwater green alga)) 3.8 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient tebuconazole.

EC50 (Desmodesmus subspicatus (green algae)) 0.0053 mg/l
Growth rate; Exposure time: 72 h
The value mentioned relates to the active ingredient trifloxystrobin.

12.2 Persistence and degradability

Biodegradability

Trifloxystrobin:
Not rapidly biodegradable
Tebuconazole:
Not rapidly biodegradable

Koc

Trifloxystrobin: Koc: 2377
Tebuconazole: Koc: 769

12.3 Bioaccumulative potential

Bioaccumulation

Trifloxystrobin: Bioconcentration factor (BCF) 431
Does not bioaccumulate.
Tebuconazole: Bioconcentration factor (BCF) 35 - 59
Does not bioaccumulate.

12.4 Mobility in soil

Mobility in soil

Trifloxystrobin: Slightly mobile in soils
Tebuconazole: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment

Trifloxystrobin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).
Tebuconazole: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects

Additional ecological

No other effects to be mentioned.

FUNGUS FIGHTER PLUS

102000012749

9/11

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

information

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product	Do not empty into drains. Dispose of unused product in its container at a household waste site (civic amenity site). Contact your local council (local authority) for details.
Contaminated packaging	Dispose of empty container in the dustbin. Follow advice on product label and/or leaflet.
Waste key for the unused product	02 01 08* agrochemical waste containing dangerous substances

SECTION 14: TRANSPORT INFORMATION

According to ADN/ADR/UK 'Carriage' Regulations/RID/IMDG/IATA not classified as dangerous goods.

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

14.1 – 14.5 Not applicable.

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009
Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)
EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits
Control of Pesticide Regulations 1986
Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II
Environmental Protection (Duty of Care) Regulations 1991
The Waste Management Licensing Regulations 1994 (as amended)
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)
Landfill Directive
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)
Water Resources Act 1991
Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical Safety Assessment

A chemical safety assessment is not required.

SECTION 16: OTHER INFORMATION**Text of the hazard statements mentioned in Section 3**

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard

EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--