

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

1/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier****Trade name** PROVADO ULTIMATE BUG KILLER CONCENTRATE**Product code (UVP)** 05759284**1.2 Relevant identified uses of the substance or mixture and uses advised against****Use** Insecticide**1.3 Details of the supplier of the safety data sheet**

**Supplier** SBM Life Science Ltd  
Unit 2,  
Techno Park,  
Newmarket Road,  
Cambridge,  
CB5 8PB  
Great Britain

**Telephone** +44 (0)1223 563108

**Telefax** +44 (0)1223 851369

**Responsible Department** uk.gardenadvice@sbm-company.com  
QHSE Department  
E-mail : sds@corp.sbm-company.com

**1.4 Emergency telephone no.****Emergency telephone no. SBM** +1 813-676-1669**UK Emergency telephone no.** +44 (0)800 220 876 (24 hr)**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**Flammable liquids: Category 3  
H226 Flammable liquid and vapour.Acute aquatic toxicity: Category 1  
H400 Very toxic to aquatic life.Chronic aquatic toxicity: Category 1  
H410 Very toxic to aquatic life with long lasting effects.**2.2 Label elements****Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.**

Hazard label for supply/use required.

**Hazardous components which must be listed on the label:**

- Deltamethrin

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

2/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain



**Signal word:** Warning

**Hazard statements**

- H226 Flammable liquid and vapour.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH401 To avoid risks to human health and the environment, comply with the instructions for use.
- EUH208 Contains alpha-hexylcinnamaldehyde, benzylsalicylate. May produce an allergic reaction.

**Precautionary statements**

- P240 Ground/bond container and receiving equipment.
- P280 Wear protective gloves/protective clothing/eye protection.
- P501 Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

**2.3 Other hazards**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.2 Mixtures**

**Chemical nature**

Emulsion, oil in water (EW)  
Deltamethrin 15 g/l

**Hazardous components**

Hazard statements according to Regulation (EC) No. 1272/2008

Name	CAS-No. / EC-No. / REACH Reg. No.	Classification	Conc. [%]
		Regulation (EC) No 1272/2008	
Deltamethrin	52918-63-5 258-256-6	Acute Tox. 3, H301 Acute Tox. 3, H331 Aquatic Acute 1, H400 Aquatic Chronic 1, H410	1.50
Benzyl benzoate	120-51-4 204-402-9 01-2119976371-33-xxxx	Acute Tox. 4, H302 Aquatic Chronic 2, H411	> 2.50 – < 25.00
Cyclohexanone	108-94-1 203-631-1	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 Flam. Liq. 3, H226	> 1.00 – < 25.00

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

3/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

Isotridecanol, ethoxylated	9043-30-5 500-027-2	Acute Tox. 4, H302 Eye Dam. 1, H318	> 1.00 – < 25.00
Benzyl salicylate	118-58-1 204-262-9	Skin Sens. 1, H317 Aquatic Chronic 2, H411	> 0.10 – < 2.50
1,2-Propanediol	57-55-6 200-338-0 01-2119456809-23-xxxx	Not classified	> 1.00
Linalyl acetate	115-95-7 204-116-4	Eye Irrit. 2, H319 Skin Irrit. 2, H315	> 0.10 – < 2.50
.alpha.- Hexylcinnamaldehyde	101-86-0 202-983-3	Skin Sens. 1, H317 Aquatic Chronic 2, H411	> 0.10 – < 0.25

**Further information**

Deltamethrin	52918-63-5	M-Factor: 1,000,000 (acute), 1,000,000 (chronic)
.alpha.- Hexylcinnamaldehyde	101-86-0	M-Factor: 1 (chronic)
		M-Factor: 1 (acute)

Substances for which there are Community workplace exposure limits:

Cyclohexanone (108-94-1)

For the full text of the H-Statements mentioned in this Section, see Section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1 Description of first aid measures**

<b>General advice</b>	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.
<b>Inhalation</b>	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.
<b>Skin contact</b>	Immediately wash with plenty of soap and water for at least 15 minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may be considered. If symptoms persist, call a physician.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.
<b>Ingestion</b>	DO NOT induce vomiting unless directed to do so by a physician or poison control center. Rinse out mouth and give water in small sips to drink. Keep patient warm and at rest.

**4.2 Most important symptoms and effects, both acute and delayed****Symptoms**

Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing

Systemic:, Discomfort in the chest, Tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy

**4.3 Indication of any immediate medical attention and special treatment needed****Risks**

This product contains a pyrethroid. Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

**Treatment**

Systemic treatment: Initial treatment: symptomatic. Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. Contraindication: atropine. Contraindication: derivatives of adrenaline. There is no specific antidote. Recovery is spontaneous and without sequelae.

---

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media****Suitable**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Unsuitable**

High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Dangerous gases are evolved in the event of a fire.

**5.3 Advice for firefighters****Special protective equipment for fire-fighters**

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

**Further information**

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

---

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

**Precautions** Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke.

**6.2 Environmental precautions** Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

**6.3 Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean floors and contaminated objects with plenty of water.

**Additional advice** Check also for any local site procedures.

**6.4 Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Advice on safe handling** No specific precautions required when handling unopened packs/containers; follow relevant manual handling advice. Ensure adequate ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition. Vapours may form explosive mixture with air. Take measures to prevent the build up of electrostatic charge. Use only in explosion-proof areas.

**Hygiene measures** When using, do not eat, drink or smoke. Wash hands immediately after work, if necessary take a shower.

**7.2 Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in original container and out of the reach of children, preferably in a locked storage area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from direct sunlight. Protect from freezing.

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**Suitable materials** Combination of sheet metal and HDPE (high density polyethylene)

**7.3 Specific end uses** Refer to the label and/or leaflet.

---

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

6/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1 Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m3 (TWA)		
Cyclohexanone	108-94-1	41 mg/m3/10 ppm (TWA)	12 2011	EH40 WEL
Cyclohexanone	108-94-1	82 mg/m3/20 ppm (STEL)	12 2011	EH40 WEL
Cyclohexanone	108-94-1	40.8 mg/m3/10 ppm (TWA)	12 2009	EU ELV
Cyclohexanone	108-94-1	81.6 mg/m3/20 ppm (STEL)	12 2009	EU ELV
Cyclohexanone	108-94-1	40.8 mg/m3/10 ppm (TWA)	2014	EU SCOELS
Cyclohexanone	108-94-1	81.6 mg/m3/20 ppm (STEL)	2014	EU SCOELS
1,2-Propanediol (Particulate.)	57-55-6	10 mg/m3 (TWA)	12 2011	EH40 WEL
1,2-Propanediol (Total vapour and particulates.)	57-55-6	474 mg/m3/150 ppm (TWA)	12 2011	EH40 WEL

**8.2 Exposure controls**

**Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

Respiratory protection is not required under anticipated circumstances of exposure.  
Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

**Hand protection**

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness of 0,4 mm). Wash when contaminated and dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating, drinking, smoking or using the toilet.

**Eye protection**

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

**Skin and body protection**

Wear standard coveralls and Category 3 Type 6 suit.  
If there is a risk of significant exposure, consider a higher protective

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

7/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

---

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 Information on basic physical and chemical properties**

<b>Form</b>	Liquid
<b>Colour</b>	white
<b>Odour</b>	weak, characteristic
<b>pH</b>	2.0 - 4.0 at 100 % (23 °C)
<b>Flash point</b>	56.5 °C
<b>Density</b>	ca. 1.02 g/cm <sup>3</sup> at 20 °C
<b>Water solubility</b>	miscible
<b>Partition coefficient: n-octanol/water</b>	Deltamethrin: log Pow: 6.4 at 25 °C
<b>Viscosity, dynamic</b>	50 - 120 mPa.s at 20 °C Velocity gradient 20 /s 50 - 100 mPa.s at 20 °C Velocity gradient 100 /s
<b>9.2 Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity****Thermal decomposition** Stable under normal conditions.**10.2 Chemical stability** Stable under recommended storage conditions.**10.3 Possibility of hazardous reactions** No hazardous reactions when stored and handled according to prescribed instructions.**10.4 Conditions to avoid** Extremes of temperature and direct sunlight.**10.5 Incompatible materials** Store only in the original container.**10.6 Hazardous decomposition products** No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on toxicological effects****Acute oral toxicity** LD50 (rat) > 2,000 mg/kg

## PROVADO ULTIMATE BUG KILLER CONCENTRATE

102000013165

8/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

<b>Acute dermal toxicity</b>	LD50 (rat) > 2,000 mg/kg
<b>Skin irritation</b>	Slight irritant effect - does not require labelling. (rabbit)
<b>Eye irritation</b>	Slight irritant effect - does not require labelling. (rabbit)
<b>Sensitisation</b>	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test Non-sensitizing. (mouse) OECD Test Guideline 429, local lymph node assay (LLNA)

**Assessment repeated dose toxicity**

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

**Assessment mutagenicity**

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

**Assessment carcinogenicity**

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

**Assessment toxicity to reproduction**

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

**Assessment developmental toxicity**

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

**Further information**

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

---

**SECTION 12: ECOLOGICAL INFORMATION****12.1 Toxicity**

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.014 mg/l Exposure time: 96 h
-------------------------	--

<b>Toxicity to aquatic invertebrates</b>	EC50 (Daphnia magna (Water flea)) 0.0013 mg/l Exposure time: 48 h
--	--

<b>Toxicity to aquatic plants</b>	EC50 (Algae) 8.14 mg/l Growth rate; Exposure time: 96 h EC50 (Algae) 2.96 mg/l Biomass; Exposure time: 72 h
-----------------------------------	--

**12.2 Persistence and degradability**

<b>Biodegradability</b>	Deltamethrin: Not rapidly biodegradable
-------------------------	--

<b>Koc</b>	Deltamethrin: Koc: 10240000
------------	-----------------------------

**12.3 Bioaccumulative potential**

<b>Bioaccumulation</b>	Deltamethrin: Bioconcentration factor (BCF) 1,400
------------------------	---



**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

9/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

Does not bioaccumulate.

**12.4 Mobility in soil****Mobility in soil** Deltamethrin: Immobile in soil**12.5 Results of PBT and vPvB assessment**

Not relevant as no chemical safety report is necessary.

**PBT and vPvB assessment** Deltamethrin: This substance is not considered to be persistent, bioaccumulative and toxic (PBT). This substance is not considered to be very persistent and very bioaccumulative (vPvB).**12.6 Other adverse effects****Additional ecological information** No further ecological information is available.

---

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods****Product** Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).**Contaminated packaging** Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.  
Add washings to sprayer at time of filling.  
Dispose of empty and cleaned packaging safely.  
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.  
Return large containers to supplier.  
Follow advice on product label and/or leaflet.

---

**SECTION 14: TRANSPORT INFORMATION****ADR/RID/ADN**

14.1 UN number	<b>1993</b>
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Hazard no.	30
Tunnel Code	D/E
Special Provision	640E

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

**IMDG**

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

10/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

14.1 UN number	<b>1993</b>
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Marine pollutant	YES

**IATA**

14.1 UN number	<b>1993</b>
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION )
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environm. Hazardous Mark	NO

**UK 'Carriage' Regulations**

14.1 UN number	<b>1993</b>
14.2 Proper shipping name	FLAMMABLE LIQUID, N.O.S. (DELTAMETHRIN, CYCLOHEXANONE SOLUTION)
14.3 Transport hazard class(es)	3
14.4 Packing group	III
14.5 Environm. Hazardous Mark	YES
Emergency action code	3Y

**14.6 Special precautions for user**

See sections 6 to 8 of this Safety Data Sheet.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No transport in bulk according to the IBC Code.

---

**SECTION 15: REGULATORY INFORMATION****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****UK and Northern Ireland Regulatory References**

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

**Transport**

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367)

Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

**Supply and Use**

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716)

Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009

Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits

Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

**Waste Treatment**

Environmental Protection Act 1990, Part II  
Environmental Protection (Duty of Care) Regulations 1991  
The Waste Management Licensing Regulations 1994 (as amended)  
Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended)  
Landfill Directive  
Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)  
Water Resources Act 1991  
Anti-Pollution Works Regulations 1999

**Further information**

WHO-classification: III (Slightly hazardous)

**15.2 Chemical Safety Assessment**

A Chemical Safety Assessment is not required for this substance.

---

**SECTION 16: OTHER INFORMATION****Text of the hazard statements mentioned in Section 3**

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms**

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
CAS-Nr.	Chemical Abstracts Service number
Conc.	Concentration
EC-No.	European community number
ECx	Effective concentration to x %
EH40 WEL	Worker Exposure Limit
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
EN	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous

**PROVADO ULTIMATE BUG KILLER CONCENTRATE**

102000013165

12/12

Creation date : 21.07.2017

Revision Date:

Version : 1 / Great Britain

	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SI	Statutory Instrument
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--